



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/930,672	08/15/2001	Mihaela Van Der Schaar	US010212	3218

24737 7590 02/20/2004

PHILIPS INTELLECTUAL PROPERTY & STANDARDS  
P.O. BOX 3001  
BRIARCLIFF MANOR, NY 10510

EXAMINER
----------

WONG, ALLEN C

ART UNIT	PAPER NUMBER
----------	--------------

2613

DATE MAILED: 02/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

09/930,672

**Applicant(s)**

SCHAAR ET AL.

**Examiner**

Allen Wong

**Art Unit**

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>4</u> . | 6) <input type="checkbox"/> Other: ____.  |

## **DETAILED ACTION**

### ***Information Disclosure Statement***

1. The information disclosure statement (IDS) submitted on 6/5/03 is considered by the examiner.

### ***Specification***

2. The disclosure is objected to because of the following informalities: on page 1 of the specification, the blank spaces of the "RELATED APPLICATIONS" section needs to be updated with correct application numbers and dates to provide accurate information.

Appropriate correction is required.

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Art Unit: 2613

4. Claims 1, 2, 4-14, 16-26 and 28-36 are rejected under 35 U.S.C. 102(e) as being anticipated by De Bonet (6,510,177).

Regarding claim 1, De Bonet discloses a method of coding video (fig.2, element 220), comprising the steps of:

encoding an uncoded video to generate extended base layer reference frames (fig.2, element 220 is the layered video encoder that utilizes a base layer module 224 and an enhancement layer module 228 to generate base layer reference frames), each of the extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.9, De Bonet discloses the "extended" or enhanced base layer reference frames include base layer frames, as inputted in element 905, and at least a portion of an associated enhancement layer reference frame, as inputted in element 925 where high-resolution motion vectors are the "portion of an associated enhancement layer reference frame", and also, in col.13, ln.48-50, note base layer and high resolution motion vectors are used for prediction where the reference frames, I and P frames, are used to obtain B-frames, thus prediction requires reference frames); and

generating frame residuals from the uncoded video and the extended base layer reference frames (fig.6, element 655 generates frame residuals from uncoded video and fig.9, element 945 is where the frame residuals are generated from the extended base layer reference frames).

Regarding claim 2, De Bonet discloses a method of coding video according to claim 1, further comprising the step of coding the frame residuals with a scalable codec

Art Unit: 2613

selected from the group consisting of DCT based codecs or wavelet based codecs to generate enhancement layer frames (col.13, ln.30-37; DCT based scalable coding or wavelet coding is applied to the frame residuals to generate enhancement layer frames, as seen in fig.9, the frame residuals are coded in element 955, and then, in element 960, enhancement layer frames are generated).

Regarding claim 4, De Bonet discloses a method of coding video according to claim 1, wherein the frame residuals include B frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the B frame residuals).

Regarding claim 5, De Bonet discloses a method of coding video according to claim 4, wherein the frame residual further include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 6, De Bonet discloses a method of coding video according to claim 1, wherein the frame residual include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 7, De Bonet discloses a method of decoding a compressed video having a base layer stream and an enhancement layer stream (fig.2, element 260 has a base layer decoder module 270 and an enhancement layer decoder module 280), the method comprising the steps of:

decoding the base layer and enhancement layer streams to generate extended base layer reference frames (fig.2, element 260 decodes the base layer, via element 270, and the enhancement layer, via element 280, to generate "extended" or enhanced base layer reference frames for viewing an enhanced video output), each of the

Art Unit: 2613

extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.11A, module 1020, at element 1124, the base layer reference frame data is received, and at element 1133, the "at least a portion of an associated enhancement layer reference frame" or residual P-frames are received, as disclosed in col.17, lines 1-8, and then the base layer reference frame data and the "at least a portion of an associated enhancement layer reference frame" are summed together at element 1142 to form high resolution P-frames); and

predicting frame residuals from the extended base layer reference frames (col.17, ln.1-14, in fig.11A, frame residuals are decoded and predicted from the "extended" or enhanced base layer reference frames by utilization and application of the enhancement of the upsampled motion vectors using additional enhancement layer motion refinement data and the overlapped block motion compensation).

Regarding claim 8, De Bonet discloses a method of decoding video according to claim 7, further comprising the step of decoding the frame residuals with scalable decoding selected from the group consisting of DCT based decoding or wavelet based decoding (col.16, ln.52-55; clearly, DCT based decoding must be done for proper decoding since DCT based coding is used in the encoding stage, and frame residuals are decoded in elements 1112 and 1136 of fig.11A and element 1163 of fig.11B).

Regarding claim 9, De Bonet discloses a method of decoding video according to claim 8, further comprising the steps of:

generating enhancement layer frames from the frame residuals (fig.10 is a general description of the enhancement layer decoder, where fig.11A and 11B show the specifics of generating enhancement layer frames from I, P and B frame residuals); and

generating an enhanced video from the base layer frames and the enhancement layer frames (fig.2, note element 260 is the layered video decoder that generates an enhanced video from the utilization of the base layer decoder module 270 and the enhancement layer decoder module 280, where in col.17, ln.44-50, fig.11B, element 1184 is where the appending of the high resolution frames occur and preparation of the high resolution frames for viewing at element 1187 is sent to a display like element 290 of fig.2 or element 146 of fig.1).

Regarding claim 10, De Bonet discloses a method of decoding video according to claim 7, wherein the frame residuals include B frame residuals (fig.11B, note "Residual B-frames" is decoded in element 1163).

Regarding claim 11, De Bonet discloses a method of decoding video according to claim 10, wherein the frame residuals further include P frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

Regarding claim 12, De Bonet discloses a method of decoding video according to claim 7, wherein the frame residuals include P-frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

Regarding claim 13, De Bonet discloses a memory medium for coding video (col.5, ln.30-48; fig.1 is a computer system configuration, including system memory,

Art Unit: 2613

harddrive, magnetic disk drive, optical disc drive, keyboard input, processor (CPU), to execute instructions, subroutines or software code for coding video, where fig.2, 220 is a layered video coder), the memory medium comprising:

code for encoding an uncoded video to generate extended base layer reference frames (fig.2, element 220 is the layered video encoder that utilizes a base layer module 224 and an enhancement layer module 228 to generate base layer reference frames), each of the extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.9, De Bonet discloses the "extended" or enhanced base layer reference frames include base layer frames, as inputted in element 905, and at least a portion of an associated enhancement layer reference frame, as inputted in element 925 where high-resolution motion vectors are the "portion of an associated enhancement layer reference frame" , and also, in col.13, ln.48-50, note base layer and high resolution motion vectors are used for prediction where the reference frames, I and P frames, are used to obtain B-frames, thus prediction requires reference frames); and

code for predicting frame residuals from the uncoded video and the extended base layer reference frames (fig.6, element 655 generates frame residuals from uncoded video and fig.9, element 945 is where the frame residuals are generated from the extended base layer reference frames).

Regarding claim 14, De Bonet discloses a memory medium for coding video according to claim 13, further comprising code for scalable encoding the frame residuals (col.13, ln.30-37; DCT based scalable coding is applied to the frame



Art Unit: 2613

residuals to generate enhancement layer frames, as seen in fig.9, the frame residuals are coded in element 955, and then, in element 960, enhancement layer frames are generated).

Regarding claim 16, De Bonet discloses a memory medium for coding video according to claim 13, wherein the frame residuals include B frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the B frame residuals).

Regarding claim 17, De Bonet discloses a memory medium for coding video according to claim 16, where in the frame residuals further include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 18, De Bonet discloses a memory medium for coding video according to claim 13, wherein the frame residuals include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 19, De Bonet discloses a memory medium for decoding a compressed video having a base layer stream and an enhancement layer stream (col.5, ln.30-48; fig.1 is a computer system configuration, including system memory, harddrive, magnetic disk drive, optical disc drive, keyboard input, processor (CPU), to execute instructions, subroutines or software code for decoding compressed video, where fig.2, 260 is a layered video decoder having a base layer decoder module 270 and an enhancement layer decoder module 280), the memory medium comprising:

code for decoding the base layer and enhancement layer streams to generate extended base layer reference frames (fig.2, element 260 decodes the base layer, via element 270, and the enhancement layer, via element 280, to generate "extended" or

Art Unit: 2613

enhanced base layer reference frames for viewing an enhanced video output), each of the extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.11A, module 1020, at element 1124, the base layer reference frame data is received, and at element 1133, the "at least a portion of an associated enhancement layer reference frame" or residual P-frames are received, as disclosed in col.17, lines 1-8, and then the base layer reference frame data and the "at least a portion of an associated enhancement layer reference frame" are summed together at element 1142 to form high resolution P-frames); and

code for predicting frame residuals from the extended base layer reference frames (col.17, ln.1-14, in fig.11A, frame residuals are decoded and predicted from the "extended" or enhanced base layer reference frames by utilization and application of the enhancement of the upsampled motion vectors using additional enhancement layer motion refinement data and the overlapped block motion compensation).

Regarding claim 20, De Bonet discloses a memory medium for decoding a compressed video according to claim 19, further comprising code for scalable decoding the frame residuals, the code for scalable decoding selected from the group consisting of DCT based code or wavelet based code (col.16, ln.52-55; clearly, DCT based decoding must be done for proper decoding since DCT based coding is used in the encoding stage, and frame residuals are decoded in elements 1112 and 1136 of fig.11A and element 1163 of fig.11B).

Art Unit: 2613

Regarding claim 21, De Bonet discloses a memory medium for decoding a compressed video according to claim 20, further comprising:

code for generating enhancement layer frames from the frame residuals (fig.10 is a general description of the enhancement layer decoder, where fig.11A and 11B show the specifics of generating enhancement layer frames from I, P and B frame residuals); and

code for generating an enhanced video from the base layer frames and the enhancement layer frames (fig.2, note element 260 is the layered video decoder that generates an enhanced video from the utilization of the base layer decoder module 270 and the enhancement layer decoder module 280, where in col.17, ln.44-50, fig.11B, element 1184 is where the appending of the high resolution frames occur and preparation of the high resolution frames for viewing at element 1187 is sent to a display like element 290 of fig.2 or element 146 of fig.1).

Regarding claim 22, De Bonet discloses a memory medium for decoding a compressed video according to claim 19, wherein the frame residuals include B frame residuals (fig.11B, note "Residual B-frames" is decoded in element 1163).

Regarding claim 23, De Bonet discloses a memory medium for decoding a compressed video according to claim 22, wherein the frame residuals further include P frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

Regarding claim 24, De Bonet discloses a memory medium for decoding a compressed video according to claim 19, wherein the frame residuals include P frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

Art Unit: 2613

Regarding claim 25, De Bonet discloses an apparatus for coding video (fig.2, element 220), the apparatus comprising:

means for encoding an uncoded video to generate extended base layer reference frames (fig.2, element 220 is the layered video encoder that utilizes a base layer module 224 and an enhancement layer module 228 to generate base layer reference frames), each of the extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.9, De Bonet discloses the "extended" or enhanced base layer reference frames include base layer frames, as inputted in element 905, and at least a portion of an associated enhancement layer reference frame, as inputted in element 925 where high-resolution motion vectors are the "portion of an associated enhancement layer reference frame" , and also, in col.13, ln.48-50, note base layer and high resolution motion vectors are used for prediction where the reference frames, I and P frames, are used to obtain B-frames, thus prediction requires reference frames); and

means for predicting frame residuals from the uncoded video and the extended base layer reference frames (fig.6, element 655 generates frame residuals from uncoded video and fig.9, element 945 is where the frame residuals are generated from the extended base layer reference frames).

Regarding claim 26, De Bonet discloses an apparatus for coding video according to claim 25, further comprising means for scalable encoding the frame residuals (col.13, ln.30-37; DCT based scalable coding is applied to the frame residuals to

Art Unit: 2613

generate enhancement layer frames, as seen in fig.9, the frame residuals are coded in element 955, and then, in element 960, enhancement layer frames are generated).

Regarding claim 28, De Bonet discloses an apparatus for coding video according to claim 25, wherein the frame residuals include B frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the B frame residuals).

Regarding claim 29, De Bonet discloses an apparatus for coding video according to claim 28, wherein the frame residuals further include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 30, De Bonet discloses an apparatus for coding video according to claim 25, wherein the frame residuals include P frame residuals (col.12, ln.41-44 and fig.6, element 655 calculates the P frame residuals).

Regarding claim 31, De Bonet discloses an apparatus for decoding a compressed video having a base layer stream and an enhancement layer stream (fig.2, element 260 is a layered video decoder having a base layer decoder module 270 and an enhancement layer decoder module 280), the apparatus comprising:

means for decoding the base layer and enhancement layer streams to generate extended base layer reference frames (fig.2, element 260 decodes the base layer, via element 270, and the enhancement layer, via element 280, to generate "extended" or enhanced base layer reference frames for viewing an enhanced video output), each of the extended base layer reference frames including a base layer reference frame and at least a portion of an associated enhancement layer reference frame (in fig.11A, module 1020, at element 1124, the base layer reference frame data is received, and at

Art Unit: 2613

element 1133, the “at least a portion of an associated enhancement layer reference frame” or residual P-frames are received, as disclosed in col.17, lines 1-8, and then the base layer reference frame data and the “at least a portion of an associated enhancement layer reference frame” are summed together at element 1142 to form high resolution P-frames); and

means for predicting frame residuals from the extended base layer reference frames (col.17, ln.1-14, in fig.11A, frame residuals are decoded and predicted from the “extended” or enhanced base layer reference frames by utilization and application of the enhancement of the upsampled motion vectors using additional enhancement layer motion refinement data and the overlapped block motion compensation).

Regarding claim 32, De Bonet discloses an apparatus for decoding a compressed video according to claim 31, further comprising scalable decoding means for decoding the frame residuals, the scalable decoding means selected from the group consisting of DCT based decoding means or wavelet based decoding means (col.16, ln.52-55; clearly, DCT based decoding must be done for proper decoding since DCT based coding is used in the encoding stage, and frame residuals are decoded in elements 1112 and 1136 of fig.11A and element 1163 of fig.11B).

Regarding claim 33, De Bonet discloses an apparatus for decoding a compressed video according to claim 32, further comprising:

means for generating enhancement layer frames from the frame residuals (fig.10 is a general description of the enhancement layer decoder, where fig.11A and 11B

Art Unit: 2613

show the specifics of generating enhancement layer frames from I, P and B frame residuals); and

means for generating an enhanced video from the base layer frames and the enhancement layer frames (fig.2, note element 260 is the layered video decoder that generates an enhanced video from the utilization of the base layer decoder module 270 and the enhancement layer decoder module 280, where in col.17, ln.44-50, fig.11B, element 1184 is where the appending of the high resolution frames occur and preparation of the high resolution frames for viewing at element 1187 is sent to a display like element 290 of fig.2 or element 146 of fig.1).

Regarding claim 34, De Bonet discloses an apparatus for decoding a compressed video according to claim 31, wherein the frame residuals include B frame residuals (fig.11B, note "Residual B-frames" is decoded in element 1163).

Regarding claim 35, De Bonet discloses an apparatus for decoding a compressed video according to claim 34, wherein the frame residuals further include P frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

Regarding claim 36, De Bonet discloses an apparatus for decoding a compressed video according to claim 31, wherein the frame residuals include P frame residuals (fig.11A, note "Residual P-frames" is decoded in element 1136).

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2613

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 3, 15 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over De Bonet (6,510,177) in view of Wu (6,614,936).

Regarding claims 3, 15 and 27, De Bonet discloses further the step of coding the frame residuals (fig.6, element 660). De Bonet does not specifically disclose the step of coding the frame residuals with a fine granular scalable codec to generate fine granular scalable enhancement layer frames. However, Wu teaches the use of progressive fine granular scalable codec to generate fine granular scalable enhancement layer frames (col.5, ln.23-33). Therefore, it would have been obvious to one of ordinary skill in the art to combine Wu's teaching of progressive fine-granularity scalable encoding scheme with De Bonet's video encoding system for yield high encoding efficiency and good error recovery, especially during transmission over the Internet and wireless channels (col.6, ln.66 to col.7, ln.2).

### ***Conclusion***

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Puri et al. (US 6,148,026) disclose mesh node coding to enable object based functionalities within a motion compensated transform video coder.



Art Unit: 2613

**Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen Wong whose telephone number is (703) 306-5978. The examiner can normally be reached on Mondays to Thursdays from 8am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Kelley can be reached on (703) 305-4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Allen Wong  
Examiner  
Art Unit 2613

AW  
2/18/04